

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent of: Arnold R. Castro

Patent No. 6,815,173

Issued: November 9, 2004

Application No. 10/009,698

Filed: December 5, 2001

Confirmation No. 1330

For: COMPOSITIONS AND METHODS FOR
DETECTING SYPHILIS USING
SYNTHETIC ANTIGENS

Examiner: Khatol S. Shahnan Shah

Art Unit: 1645

Attorney Reference No. 6395-61750-01

**FILED VIA EFS ON
June 16, 2010**

SUBMITTED VIA ELECTRONIC FILING SYSTEM
UNITED STATES PATENT AND TRADEMARK OFFICE

REQUEST FOR CERTIFICATE OF CORRECTION

The following printing errors were noted in comparing the printed patent with the papers in the attorneys' files:

On the Cover Page:

Item (54), in the title of the invention, "ANTIGENTS" should be --ANTIGENS--.

In the Specification:

Column 1, line 2 (specification page 1, line 11), "ANTIGENTS" should be --ANTIGENS--.

Column 2, line 63 (specification page 5, line 2), "air" should be --are--.

Column 5, line 34 (specification page 10, line 3), "requires, an" should be --requires an--.

Column 8, line 21 (specification page 15, line 27), "KH₂PO₄" should be --KH₂PO₄--.

Column 13, line 39 (specification page 26, line 2), "Tree" should be --Three--.

In the Claims:

Column 14, line 38, claim 10 (8/28/2003 amendment, page 5, claim 12), --and-- should be inserted after "diolipin".


Since not all of the errors are attributable to the Patent Office, enclosed is the fee of \$100.00 pursuant to 37 C.F.R. 1.20(a). The preceding corrections remedy mistakes of a typographical nature and/or minor character. A proposed Certificate of Correction is enclosed to make formal notice of the errors in the referenced patent. Applicants request that the Patent Office provide a formal Certificate of Correction to correct the errors noted herein.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

One World Trade Center, Suite 1600
121 S.W. Salmon Street
Portland, Oregon 97204
Telephone: (503) 595-5300
Facsimile: (503) 595-5301

By

A handwritten signature in black ink, appearing to read "Sheree Lynn Rybak", is written over a horizontal line.

Sheree Lynn Rybak, Ph.D.
Registration No. 47,913

cc: Docketing

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,173
APPLICATION NO. : 10/009,698
ISSUE DATE : November 9, 2004
INVENTOR(S) : Arnold R. Castro

Page 1 of 1

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Cover Page:

Item (54), in the title of the invention, "ANTIGENTS" should be --ANTIGENS--.

In the Specification:

Column 1, line 2, "ANTIGENTS" should be --ANTIGENS--.

Column 2, line 63, "air" should be --are--.

Column 5, line 34, "requires, an" should be --requires an--.

Column 8, line 21, "KH₂PO₄" should be --KH₂PO₄--.

Column 13, line 39, "Tree" should be --Three--.

In the Claims:

Column 14, line 38, claim 10, --and-- should be inserted after "diolipin".

MAILING ADDRESS OF SENDER:

Klarquist Sparkman, LLP
One World Trade Center, Suite 1600
121 SW Salmon Street
Portland Oregon, 97204